




◎ 長尺U字溝



ジョイント部詳細図





KUS (歩道用)

呼 び 名	寸 法																											参考 重量 (kg)
	B	H	D	D'	h	L	a	a1	a2	a3	b	c	d	e	f	g	s	r	c1	c2	c3	c1'	c2'	c3'	i	j		
KUS 250×250	485	410	250	220	250	2000	117.5	62.5	5	50	100	60	250	130	50	230	62	50	20	5	35	20	10	30	15	30	320	
KUS 300×300	545	460	300	260	300	2000	122.5	67.5	5	50	100	60	300	130	67	263	69.5	50	20	5	35	20	10	30	15	30	357	
KUS 300×400	565	570	300	250	400	2000	132.5	67.5	5	60	100	70	300	134	67	369	69.5	50	20	5	45	20	10	40	15	30	482	
KUS 350×350	605	515	350	305	350	2000	127.5	67.5	5	55	100	65	350	132	67	316	69.5	50	20	5	40	20	10	35	15	30	433	
KUS 350×400	615	570	350	300	400	2000	132.5	67.5	5	60	100	70	350	134	67	369	69.5	50	20	5	45	20	10	40	15	30	499	
KUS 400×400	665	570	400	350	400	2000	132.5	67.5	5	60	100	70	400	134	67	369	69.5	70	20	5	45	20	10	40	15	30	518	
KUS 400×500	675	675	400	335	500	2000	137.5	67.5	5	65	100	75	400	136	68	471	68	70	20	5	50	20	10	45	15	30	626	

KUR (車道用)


呼 び 名	寸 法																										参考 重量 (kg)
	B	H	D	D'	h	L	a	a1	a2	a3	b	c	d	e	f	g	s	r	c1	c2	c3	c1'	c2'	c3'	i	j	
KUR 250×250	485	410	250	220	250	2000	117.5	62.5	5	50	100	60	250	130	50	230	62	50	20	5	35	20	10	30	15	30	321
KUR 300×300	585	520	300	260	300	2000	142.5	67.5	5	70	130	90	350	180	58	282	60.5	50	40	5	45	40	10	40	20	35	560
KUR 300×400	605	630	300	250	400	2000	152.5	67.5	5	80	130	100	350	184	58	388	60.5	50	40	5	55	40	10	50	20	35	719
KUR 350×350	645	575	350	305	350	2000	147.5	67.5	5	75	130	95	400	182	58	335	60.5	50	40	5	50	40	10	45	20	35	659
KUR 350×400	655	630	350	300	400	2000	152.5	67.5	5	80	130	100	400	184	58	388	60.5	50	40	5	55	40	10	50	20	35	742
KUR 400×400	705	630	400	350	400	2000	152.5	67.5	5	80	130	100	450	184	58	388	60.5	70	40	5	55	40	10	50	20	35	771
KUR 400×500	725	740	400	335	500	2000	167.5	67.5	5	90	130	110	450	189	59	492	61.5	70	40	5	65	40	10	60	20	35	954
KUR 450×450	775	675	450	430	450	2000	162.5	67.5	5	90	150	75	500	200	120	355	97.5	80	40	5	65	40	10	60	20	35	753

長尺U字溝（ボルト固定グレーチング仕様）






※各規格寸法は長尺U字溝の寸法表と同じになります。

ジョイント部詳細図





長尺BOX型側溝（KUB型）



呼び名	寸 法 (mm)																参考重量 (kg)
	B	H	D	D'	h	L	a	b	c	d	e	f	g	i	s	r	
300×300	545	480	300	260	320	1998	122.5	80	80	330	130	67	283	60	69.5	50	599
400×400	665	580	400	350	420	1998	132.5	80	80	420	134	67	379	70	69.5	70	759

長尺U字溝（片直土止）

K U S 300×300





呼び名	H	h	b	重量(kg)
H= 100	590	100	100	666
H= 200	690	200		700
H= 300	790	300		733
H= 400	890	400		767
H= 500	990	500		800
H= 600	1090	600		834

呼び名	H	h	b	重量(kg)
H= 700	1190	700	200	907
H= 800	1290	800		941
H= 900	1390	900		974
H=1000	1490	1000		1008

側溝本体と基礎コンクリートを固定する差し鉄筋（D 13、L=300mm）は必ず行い、1 mあたり1箇所を標準とする。

K U R 300×300




呼び名	H	h	b	重量(kg)
H= 100	620	100	100	813
H= 200	720	200		847
H= 300	820	300		880
H= 400	920	400		914
H= 500	1020	500		947
H= 600	1120	600		981

呼び名	H	h	b	重量(kg)
H= 700	1220	700	200	1054
H= 800	1320	800		1088
H= 900	1420	900		1121
H=1000	1520	1000		1155

側溝本体と基礎コンクリートを固定する差し鉄筋（D 13、L=300mm）は必ず行い、1mあたり1箇所を標準とする。



◎ 長尺U字溝 (片直土止)



K U S 型

H	重量(kg)
100	497
200	531
300	565
400	599
500	633
600	667
700	701
800	735
900	769
1000	803


ジョイント部詳細




K U R 型

H	重量(kg)
100	707
200	741
300	775
400	809
500	843
600	877
700	911
800	945
900	979
1000	1013



ジョイント部詳細




参考断面図



◎ 長尺U字溝



ジョイント部詳細図




呼 び 名		寸 法																				参考 重量 (kg)		
		B	H	D	D'	h	d	a	a1	a2	b	c	e	f	g	s	r	c1	c2	c3	i		j	Y
K D R 300 型	300× 500	605	740	300	260	500	428	152.5	68.5	80	130	110	170	170	400	60	50	40	65	60	20	35	321	889
	300× 600	605	840	300	252	600	421	152.5	68.5	80	130	110	170	170	500	65	50	40	65	60	20	35	370	969
	300× 700	605	940	300	244	700	412	152.5	68.5	80	130	110	170	170	600	65	50	40	65	60	20	35	420	1066
	300× 800	605	1040	300	236	800	402	152.5	68.5	80	130	110	170	170	700	65	50	40	65	60	20	35	470	1160
	300× 900	605	1145	300	228	900	405	152.5	68.5	80	130	115	170	170	805	65	50	40	70	65	20	35	517	1283
	300×1000	605	1255	300	220	1000	419	152.5	68.5	80	130	125	170	170	915	65	50	40	80	75	20	35	559	1445
K D R 350 型	350× 500	655	740	350	310	500	478	152.5	68.5	80	130	110	170	170	400	60	50	40	65	60	20	35	314	914
	350× 600	655	840	350	302	600	471	152.5	68.5	80	130	110	170	170	500	65	50	40	65	60	20	35	362	995
	350× 700	655	940	350	294	700	462	152.5	68.5	80	130	110	170	170	600	65	50	40	65	60	20	35	411	1092
	350× 800	655	1040	350	286	800	452	152.5	68.5	80	130	110	170	170	700	65	50	40	65	60	20	35	461	1186
	350× 900	655	1145	350	278	900	455	152.5	68.5	80	130	115	170	170	805	65	50	40	70	65	20	35	507	1311
	350×1000	655	1255	350	270	1000	469	152.5	68.5	80	130	125	170	170	915	65	50	40	80	75	20	35	550	1475
K D R 400 型	400× 600	725	840	400	352	600	516	162.5	68.5	90	130	110	170	170	500	65	70	40	65	60	20	35	363	1077
	400× 700	725	940	400	344	700	507	162.5	68.5	90	130	110	170	170	600	65	70	40	65	60	20	35	413	1179
	400× 800	725	1040	400	336	800	499	162.5	68.5	90	130	110	170	170	700	65	70	40	65	60	20	35	462	1278
	400× 900	725	1145	400	328	900	502	162.5	68.5	90	130	115	170	170	805	65	70	40	70	65	20	35	509	1409
	400×1000	725	1255	400	320	1000	516	162.5	68.5	90	130	125	170	170	915	65	70	40	80	75	20	35	552	1580

◎ 長尺U字溝


呼 び 名		寸 法																						参考 重量 (kg)
		B	H	D	D'	h	d	a	a1	a2	b	c	e	f	g	s	r	c1	c2	c3	i	j	Y	
K D S 300 型	300× 500	565	675	300	260	500	359	132.5	68.5	60	100	75	130	180	365	75	50	20	50	45	15	30	304	598
	300× 600	565	775	300	252	600	350	132.5	68.5	60	100	75	130	180	465	75	50	20	50	45	15	30	355	662
	300× 700	565	880	300	244	700	352	132.5	68.5	60	100	80	130	180	570	75	50	20	50	50	15	30	402	753
	300× 800	565	985	300	236	800	355	132.5	68.5	60	100	85	130	180	675	75	50	20	60	55	15	30	448	845
	300× 900	565	1090	300	228	900	357	132.5	68.5	60	100	90	130	180	780	75	50	30	55	50	15	30	492	941
	300×1000	565	1195	300	220	1000	359	132.5	68.5	60	100	95	130	180	885	75	50	30	60	55	15	30	536	1043
K D S 350 型	350× 500	615	675	350	310	500	409	132.5	68.5	60	100	75	130	180	365	75	50	20	50	45	15	30	297	615
	350× 600	615	775	350	302	600	400	132.5	68.5	60	100	75	130	180	465	75	50	20	55	45	15	30	347	679
	350× 700	615	880	350	294	700	402	132.5	68.5	60	100	80	130	180	570	75	50	20	50	50	15	30	393	772
	350× 800	615	985	350	286	800	405	132.5	68.5	60	100	85	130	180	675	75	50	20	60	55	15	30	438	866
	350× 900	615	1090	350	278	900	407	132.5	68.5	60	100	90	130	180	780	75	50	30	55	50	15	30	483	963
	350×1000	615	1195	350	270	1000	409	132.5	68.5	60	100	95	130	180	885	75	50	30	60	55	15	30	526	1066
K D S 400 型	400× 600	675	775	400	352	600	448	137.5	68.5	65	100	75	130	180	465	75	70	20	50	45	15	30	343	726
	400× 700	675	880	400	344	700	451	137.5	68.5	65	100	80	130	180	570	75	70	20	55	50	15	30	390	821
	400× 800	675	985	400	336	800	453	137.5	68.5	65	100	85	130	180	675	75	70	20	60	55	15	30	435	919
	400× 900	675	1090	400	328	900	456	137.5	68.5	65	100	90	130	180	780	75	70	30	55	50	15	30	479	1020
	400×1000	675	1195	400	320	1000	458	137.5	68.5	65	100	95	130	180	885	75	70	30	60	55	15	30	523	1127
K D S 500 型	500× 500	775	695	500	460	500	556	137.5	68.5	65	120	75	150	180	365	75	70	20	50	45	15	30	287	707
	500× 600	775	800	500	452	600	559	137.5	68.5	65	120	80	150	180	470	75	70	20	55	50	15	30	333	800
	500× 700	775	905	500	444	700	564	137.5	68.5	65	120	85	150	180	575	75	70	30	50	45	15	30	390	917
	500× 800	775	1010	500	436	800	565	137.5	68.5	65	120	90	150	180	680	75	70	30	55	50	15	30	422	1004
	500× 900	775	1115	500	428	900	568	137.5	68.5	65	120	95	150	180	785	75	70	30	60	55	15	30	480	1129
	500×1000	775	1220	500	420	1000	569	137.5	68.5	65	120	100	150	180	890	75	70	30	65	60	15	30	507	1222
	500×1100	775	1330	500	410	1100	580	137.5	68.5	65	120	110	150	180	1000	72.5	70	30	75	70	15	30	535	1375
	500×1200	775	1435	500	404	1200	584	137.5	68.5	65	120	115	150	180	1105	70	70	40	70	65	15	30	591	1527
	500×1300	775	1540	500	396	1300	586	137.5	68.5	65	120	120	150	180	1210	69.5	70	40	75	70	15	30	620	1663
	500×1400	775	1650	500	388	1400	598	137.5	68.5	65	120	130	150	180	1320	63.5	70	40	85	80	15	30	660	1891
K D S 600 型	600× 600	875	800	600	552	600	659	137.5	68.5	65	120	80	150	180	470	75	70	20	55	50	15	30	320	837
	600× 700	875	905	600	544	700	662	137.5	68.5	65	120	85	150	180	575	75	70	25	55	50	15	30	363	938
	600× 800	875	1010	600	536	800	665	137.5	68.5	65	120	90	150	180	680	75	70	30	55	50	15	30	406	1047
	600× 900	875	1115	600	528	900	667	137.5	68.5	65	120	95	150	180	785	75	70	25	65	60	15	30	449	1156
	600×1000	875	1220	600	520	1000	669	137.5	68.5	65	120	100	150	180	890	75	70	30	65	60	15	30	491	1270
	600×1100	875	1330	600	512	1100	681	137.5	68.5	65	120	110	150	180	1000	70	70	35	70	65	15	30	532	1447
	600×1200	875	1435	600	504	1200	684	137.5	68.5	65	120	115	150	180	1105	70	70	40	70	65	15	30	573	1582
	600×1300	875	1540	600	496	1300	685	137.5	68.5	65	120	120	150	180	1210	70	70	40	75	70	15	30	613	1726
	600×1400	875	1645	600	488	1400	685	137.5	68.5	65	120	125	150	180	1315	70	70	40	80	75	15	30	653	1872
	600×1500	875	1750	600	480	1500	685	137.5	68.5	65	120	130	150	180	1420	70	70	40	85	80	15	30	692	2021

◎ 長尺U字溝 (K U S 型)





呼 び 名		寸 法																		参考 重量 (kg)
		B	H	D	D'	h	L	a	a1	a2	a3	b	c	d	e	f	g	s	r	
250 型	250×250	485	410	250	220	250	2000	117.5	62.5	5	50	100	60	250	130	50	230	62	50	320
	250×300	485	460	250	210	300	2000	117.5	62.5	5	50	100	60	290	130	80	250	77.5	50	339
	250×400	485	570	250	210	400	2000	117.5	62.5	5	50	100	70	310	130	80	360	67.5	50	425
	250×500	485	670	250	210	500	2000	117.5	62.5	5	50	100	70	310	130	80	460	67.5	50	483
	250×600	485	775	250	200	600	2000	117.5	62.5	5	50	100	75	310	130	80	565	67.5	50	585
300 型	300×1100	565	1300	300	230	1100	2000	132.5	67.5	5	60	100	100	390	130	80	1090	67.5	60	1176
	300×1200	565	1410	300	230	1200	2000	132.5	67.5	5	60	100	110	410	130	80	1200	57.5	60	1295
	300×1300	565	1520	300	230	1300	2000	132.5	67.5	5	60	100	120	430	130	80	1310	47.5	60	1428
350 型	350×500	615	670	350	310	350	2000	132.5	67.5	5	60	100	70	410	130	80	460	82.5	60	555
400 型	400×600	675	780	400	350	600	2000	137.5	67.5	5	65	100	80	460	140	60	580	82.5	70	718
	400×700	675	885	400	350	700	2000	137.5	67.5	5	65	100	85	460	140	60	685	77.5	70	830
	400×1100	675	1310	400	330	1100	2000	137.5	67.5	5	65	100	110	510	200	70	1040	62.5	80	1398
	400×1200	675	1420	400	330	1200	2000	137.5	67.5	5	65	100	120	530	200	70	1150	52.5	80	1511
	400×1300	675	1520	400	330	1300	2000	137.5	67.5	5	65	100	120	530	200	70	1250	52.5	80	1678
	400×1400	675	1630	400	310	1400	2000	137.5	67.5	5	65	100	130	530	200	70	1360	52.5	80	1825
	400×1500	675	1730	400	310	1500	2000	137.5	67.5	5	65	100	130	530	200	70	1460	52.5	80	1983
500 型	500×500	785	695	500	460	500	2000	142.5	67.5	5	70	120	75	570	160	70	465	87.5	80	763
	500×600	785	800	500	460	600	2000	142.5	67.5	5	70	120	80	580	160	70	570	82.5	80	791
	500×700	785	905	500	460	700	2000	142.5	67.5	5	70	120	85	590	160	70	675	77.5	80	894
	500×800	785	1010	500	460	800	2000	142.5	67.5	5	70	120	90	600	160	70	780	72.5	80	1002
600 型	600×600	885	800	600	560	600	2000	142.5	67.5	5	70	120	80	680	160	70	570	82.5	80	827
	600×700	885	905	600	560	700	2000	142.5	67.5	5	70	120	85	680	160	70	675	77.5	80	932
	600×800	885	1010	600	560	800	2000	142.5	67.5	5	70	120	90	680	160	70	780	72.5	80	1041
	600×1000	885	1220	600	550	1000	2000	142.5	67.5	5	70	120	100	700	160	70	990	67.5	90	1286
	600×1100	885	1330	600	550	1100	2000	142.5	67.5	5	70	120	110	700	160	70	1100	57.5	90	1454
	600×1200	885	1440	600	550	1200	2000	142.5	67.5	5	70	120	120	700	160	70	1210	47.5	90	1630
	600×1300	885	1540	600	540	1300	2000	142.5	67.5	5	70	120	120	700	160	70	1310	52.5	90	1803
	600×1400	885	1650	600	540	1400	2000	142.5	67.5	5	70	120	130	700	160	70	1420	42.5	90	1957

◎ 長尺U字溝 (KUR型)





呼 び 名		寸 法																		参考 重量 (kg)
		B	H	D	D'	h	L	a	a1	a2	a3	b	c	d	e	f	g	s	r	
250 型	250× 300	485	470	250	210	300	2000	117.5	62.5	5	50	100	60	290	130	80	260	77.5	50	339
	250× 400	485	570	250	210	400	2000	117.5	62.5	5	50	100	70	310	130	80	360	67.5	50	425
	250× 500	485	670	250	210	500	2000	117.5	62.5	5	50	100	70	310	130	80	460	67.5	50	483
	250× 600	485	775	250	200	600	2000	117.5	62.5	5	50	100	75	310	130	80	565	67.5	60	585
300 型	300× 700	605	930	300	250	700	2000	152.5	67.5	5	80	130	100	360	180	80	670	77.5	70	934
	300× 800	605	1030	300	250	800	2000	152.5	67.5	5	80	130	100	360	180	80	770	77.5	70	1013
	300×1100	605	1340	300	220	1100	2000	152.5	67.5	5	80	130	110	400	180	80	1080	82.5	70	1365
	300×1200	605	1450	300	220	1200	2000	152.5	67.5	5	80	130	120	400	180	80	1190	72.5	70	1539
	300×1300	605	1550	300	220	1300	2000	152.5	67.5	5	80	130	120	400	180	80	1290	72.5	70	1630
350 型	350× 700	655	930	350	300	700	2000	152.5	67.5	5	80	130	100	410	180	80	670	70	60	959
400 型	400× 600	725	810	400	350	600	2000	162.5	67.5	5	90	130	80	470	190	150	470	107.5	70	839
	400× 700	725	915	400	350	700	2000	162.5	67.5	5	90	130	85	480	190	150	575	102.5	70	948
	400× 800	725	1020	400	340	800	2000	162.5	67.5	5	90	130	90	480	190	150	680	102.5	80	1049
	400× 900	725	1125	400	340	900	2000	162.5	67.5	5	90	130	95	490	190	150	785	97.5	80	1175
	400×1100	725	1340	400	330	1100	2000	162.5	67.5	5	90	130	110	510	190	150	1000	87.5	80	1446
	400×1200	725	1450	400	330	1200	2000	162.5	67.5	5	90	130	120	530	190	150	1110	77.5	80	1585
	400×1300	725	1550	400	330	1300	2000	162.5	67.5	5	90	130	120	530	190	150	1210	77.5	80	1726
	400×1400	725	1660	400	330	1400	2000	162.5	67.5	5	90	130	130	550	190	150	1320	67.5	80	1877
	400×1500	725	1760	400	330	1500	2000	162.5	67.5	5	90	130	130	550	190	150	1420	67.5	80	2034
450 型	450× 450	775	675	450	430	450	2000	162.5	67.5	5	90	150	75	500	200	120	525	75	80	753
500 型	500× 500	825	725	500	480	500	2000	162.5	67.5	5	90	150	75	630	200	150	375	97.5	80	805
	500× 600	825	830	500	480	600	2000	162.5	67.5	5	90	150	80	640	200	150	480	92.5	80	912
	500× 700	825	935	500	480	700	2000	162.5	67.5	5	90	150	85	650	200	150	585	87.5	80	1030
	500× 800	825	1040	500	470	800	2000	162.5	67.5	5	90	150	90	650	200	150	690	87.5	80	1141
	500× 900	825	1145	500	470	900	2000	162.5	67.5	5	90	150	95	660	200	150	795	82.5	80	1276
	500×1000	825	1250	500	470	1000	2000	162.5	67.5	5	90	150	100	670	200	150	900	77.5	80	1421
	500×1100	825	1360	500	460	1100	2000	162.5	67.5	5	90	150	110	680	200	150	1010	72.5	80	1618
	500×1200	825	1470	500	460	1200	2000	162.5	67.5	5	90	150	120	700	200	150	1120	62.5	80	1859
	500×1300	825	1570	500	460	1300	2000	162.5	67.5	5	90	150	120	700	200	150	1220	62.5	80	2008
	500×1400	825	1680	500	450	1400	2000	162.5	67.5	5	90	150	130	710	200	150	1330	57.5	80	2167
	500×1500	825	1780	500	450	1500	2000	162.5	67.5	5	90	150	130	710	200	150	1430	57.5	80	2326
600 型	600× 600	925	830	600	580	600	2000	162.5	67.5	5	90	150	80	740	200	150	480	92.5	80	950
	600× 700	925	935	600	580	700	2000	162.5	67.5	5	90	150	85	750	200	150	585	87.5	80	1071
	600× 800	925	1040	600	570	800	2000	162.5	67.5	5	90	150	90	750	200	150	690	87.5	80	1184
	600× 900	925	1145	600	570	900	2000	162.5	67.5	5	90	150	95	760	200	150	795	82.5	80	1322
	600×1000	925	1250	600	570	1000	2000	162.5	67.5	5	90	150	100	770	200	150	900	77.5	80	1469
	600×1200	925	1470	600	560	1200	2000	162.5	67.5	5	90	150	120	800	200	150	1120	62.5	80	1917
	600×1400	925	1680	600	550	1400	2000	162.5	67.5	5	90	150	130	810	200	150	1330	57.5	80	2196

◎ 長尺U字溝（S型）




呼 び 名	寸 法																		参考 重量 (kg)
	B	H	D	D'	h	L	a	a1	a2	a3	b	c	d	e	f	g	s	r	
240×240	460	400	240	220	240	2000	110	47.5	2.5	60	100	60	310	110	110	180	60	50	295
240×300	460	460	240	220	300	2000	110	47.5	2.5	60	100	60	310	110	110	240	60	50	339
240×400	460	560	240	220	400	2000	110	47.5	2.5	60	100	60	310	110	110	340	60	50	397
240×500	460	665	240	210	500	2000	110	47.5	2.5	60	100	65	310	110	110	445	60	50	479
240×600	460	765	240	210	600	2000	110	47.5	2.5	60	100	65	310	110	110	545	60	50	540




呼 び 名	寸 法																		参考 重量 (kg)	
	B	H	D	D'	h	L	a	a1	a2	a3	b	c	d	e	f	g	s	i		r
300× 300	530	460	300	260	300	2000	115	47.5	2.5	65	100	60	320	140	50	270	65	70	50	370
300× 400	530	565	300	260	400	2000	115	47.5	2.5	65	100	65	320	140	50	375	65	70	50	457
300× 500	530	665	300	260	500	2000	115	47.5	2.5	65	100	65	360	140	50	475	65	70	50	498
300× 600	530	770	300	260	600	2000	115	47.5	2.5	65	100	70	360	140	50	580	65	70	60	577
300× 700	530	875	300	250	700	2000	115	47.5	2.5	65	100	75	360	140	50	685	65	75	60	680
300× 800	530	985	300	250	800	2000	115	47.5	2.5	65	100	85	380	140	50	795	55	85	60	840
300× 900	530	1090	300	240	900	2000	115	47.5	2.5	65	100	90	380	140	50	900	55	90	70	942
300×1000	530	1195	300	240	1000	2000	115	47.5	2.5	65	100	95	390	140	50	1005	50	95	70	1073
300×1100	530	1300	300	230	1100	2000	115	47.5	2.5	65	100	100	390	140	50	1110	50	100	80	1184
300×1200	530	1405	300	230	1200	2000	115	47.5	2.5	65	100	105	400	140	50	1205	45	105	80	1337
450× 450	730	645	450	400	450	2000	140	67.5	7.5	65	120	75	450	160	70	415	70	75	50	620

◎ 長尺U字溝 (S T型)





呼 び 名	寸 法																						参考 重量 (kg)
	B	H	D	D'	h	L	a	a1	a2	a3	b	c	c1	d	d1	e	f	g	s	i	j	r	
300× 300	530	460	300	260	300	2000	115	47.5	2.5	65	100	60	50	500	400	140	50	270	65	70	50	50	404
300× 400	530	565	300	260	400	2000	115	47.5	2.5	65	100	65	55	500	400	140	50	375	65	70	50	50	503
300× 500	530	665	300	260	500	2000	115	47.5	2.5	65	100	65	55	500	400	140	50	475	65	70	50	50	544
300× 600	530	770	300	260	600	2000	115	47.5	2.5	65	100	70	60	500	400	140	50	580	65	70	50	60	635
300× 700	530	875	300	250	700	2000	115	47.5	2.5	65	100	75	65	500	400	140	50	685	65	75	50	60	708
300× 800	530	985	300	250	800	2000	115	47.5	2.5	65	100	85	75	500	420	140	50	795	55	85	40	60	898
300× 900	530	1090	300	240	900	2000	115	47.5	2.5	65	100	90	80	500	420	140	50	900	55	90	40	70	1000
300×1000	530	1195	300	240	1000	2000	115	47.5	2.5	65	100	95	85	500	430	140	50	1005	50	95	35	70	1131
300×1100	530	1300	300	230	1100	2000	115	47.5	2.5	65	100	100	90	500	430	140	50	1110	50	100	35	80	1263
300×1200	530	1405	300	230	1200	2000	115	47.5	2.5	65	100	105	95	500	440	140	50	1205	45	105	30	80	1395



呼 び 名	寸 法																								参考 重量 (kg)
	B	H	D	D'	h	L	a	a1	a2	a3	b	c	c1	c2	d	d1	d2	e	f	g	s	i	j	r	
300× 300	530	460	300	260	300	2000	115	47.5	2.5	65	100	60	50	40	700	400	300	140	50	270	65	70	50	50	473
300× 400	530	565	300	260	400	2000	115	47.5	2.5	65	100	65	55	45	700	400	300	140	50	375	65	70	50	50	567
300× 500	530	665	300	260	500	2000	115	47.5	2.5	65	100	65	55	45	700	400	300	140	50	475	65	70	50	50	608
300× 600	530	770	300	260	600	2000	115	47.5	2.5	65	100	70	60	50	800	400	400	140	50	580	65	70	50	60	720
300× 700	530	875	300	250	700	2000	115	47.5	2.5	65	100	75	65	55	800	400	400	140	50	685	65	75	50	60	831
300× 800	530	985	300	250	800	2000	115	47.5	2.5	65	100	85	75	65	820	420	400	140	50	795	55	85	40	60	1008
300× 900	530	1090	300	240	900	2000	115	47.5	2.5	65	100	90	80	70	920	420	500	140	50	900	55	90	40	70	1157
300×1000	530	1195	300	240	1000	2000	115	47.5	2.5	65	100	95	85	75	930	430	500	140	50	1005	50	95	35	70	1300
300×1100	530	1300	300	230	1100	2000	115	47.5	2.5	65	100	100	90	80	930	430	500	140	50	1110	50	100	35	80	1428
300×1200	530	1405	300	230	1200	2000	115	47.5	2.5	65	100	105	95	85	940	440	500	140	50	1205	45	105	30	80	1584



◎ 長尺U字溝 (KUR)

正面図



寸法表 (h-1100型)


呼 び 名	寸 法 (mm)																W (kg)
	B	H	D	h	D'	a	a1	a2	a3	b	c	e	f	g	s	r	
500 × 1100	825	1360	500	1100	460	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1618
600 × 1100	925	1360	600	1100	560	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1699
700 × 1100	1025	1360	700	1100	660	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1751
800 × 1100	1125	1360	800	1100	760	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1804
900 × 1100	1225	1360	900	1100	860	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1857
1000 × 1100	1325	1360	1000	1100	960	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1910
1100 × 1100	1425	1360	1100	1100	1060	162.5	67.5	5	90	150	110	200	150	1010	72.5	80	1963



寸法表 (h-1300型)


呼 び 名	寸 法 (mm)																W (kg)
	B	H	D	h	D'	a	a1	a2	a3	b	c	e	f	g	s	r	
500 × 1300	825	1570	500	1300	460	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2008
600 × 1300	925	1570	600	1300	560	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2052
700 × 1300	1025	1570	700	1300	660	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2110
800 × 1300	1125	1570	800	1300	760	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2168
900 × 1300	1225	1570	900	1300	860	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2225
1000 × 1300	1325	1570	1000	1300	960	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2283
1100 × 1300	1425	1570	1100	1300	1060	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2340
1200 × 1300	1525	1570	1200	1300	1160	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2398
1300 × 1300	1625	1570	1300	1300	1260	162.5	67.5	5	90	150	120	200	150	1220	62.5	80	2456

◎ 長尺U字溝 GPU 3型





呼び名	寸 法 (mm)																重量 (k g)
	B	H	b1	b2	b3	b4	b5	b6	b7	b8	h1	h2	h3	h4	h5	L	
PU3-B250-H250	250	250	485	117.5	60	2.5	55	230	65	300	90	65	295	110	405	2000	354
PU3-B300-H300	300	300	535	117.5	60	2.5	55	280	70	360	100	70	350	120	470	2000	425
PU3-B300-H400	300	400	535	117.5	60	2.5	55	270	70	330	100	70	450	120	570	2000	481
PU3-B300-H500	300	500	535	117.5	60	2.5	55	260	80	340	100	80	560	120	680	2000	594
PU3-B400-H400	400	400	635	117.5	60	2.5	55	370	70	430	110	70	450	130	580	2000	520
PU3-B400-H500	400	500	635	117.5	60	2.5	55	360	80	440	110	80	560	130	690	2000	638
PU3-B500-H500	500	500	755	127.5	65	2.5	60	460	80	540	125	80	560	145	705	2000	704
PU3-B500-H600	500	600	755	127.5	65	2.5	60	450	90	550	125	90	670	145	815	2000	842

◎ 側溝蓋 PC 4型（道路用）





呼 び 名	寸 法 (mm)			重量 (k g)
	B	T	L	
PC4-B250	350	90	500	37
PC4-B300	400	100	500	47
PC4-B400	500	110	500	65
PC4-B500	610	125	500	91

◎ 長尺U字溝枳



呼 び 名	寸 法 (mm)																		重量 (k g)
	B	H	D	D1	D2	h	h1	a	a1	a2	a3	b	c	e	f	g	s	L	
S型 240用	460	600	240	220	340	240	200	110	47.5	2.5	60	100	60	110	110	380	60	600	140
S型 300用	530	660	300	260	400	300	200	115	47.5	2.5	65	100	60	140	50	470	65	600	156



呼 び 名	寸 法 (mm)																	重量 (k g)
	B	H	D	D1	D2	h	h1	a	a1	a2	a3	b	c	e	f	g	L	
K U S型 250用	485	600	250	220	310	250	200	117.5	62.5	5	50	100	50	130	50	420	600	137
K U S型 300用	545	660	300	260	345	300	200	122.5	67.5	5	50	100	60	130	69.5	460.5	600	158